

24000Z-03-0	Combination of Split Indoor Units BTU(K)	Cooling Capacity												
		A	B	C	D	Total Capacity (BTU/H)			Power Input (W)			(A)	SEER2	EER
		BTU/H	BTU/H	BTU/H	BTU/H	NOM	MIN	MAX	NOM	MIN	MAX			W/W
9K+18K	8500	15000	-	-	23500	7600	28600	1920	420	2640	8.7	19.00	3.59	
12K+12K	10000	10000	-	-	20000	7600	28600	1915	400	2640	8.7	18.00	3.06	
12K+18K	9500	14500	-	-	24000	7800	29500	1920	420	2640	8.7	19.00	3.66	
18K+18K	12000	12000	-	-	24000	8000	30200	1940	440	2640	8.8	20.00	3.62	
9K+9K+9K	8000	8000	8000	-	24000	8000	30200	1920	420	2640	8.7	22.00	3.66	
9K+9K+12K	7400	7400	9200	-	24000	8000	30200	1920	420	2640	8.7	22.00	3.66	
9K+9K+18K	6200	6200	11600	-	24000	8000	30200	1920	440	2640	8.7	22.00	3.66	
9K+12K+12K	7000	8500	8500	-	24000	8000	30200	1920	420	2640	8.7	22.00	3.66	
12+12K+12K	8000	8000	8000	-	24000	8000	30200	1920	420	2640	8.7	22.00	3.66	

24000Z-03-0	Combination of Split Indoor Units BTU(K)	Heating Capacity												
		A	B	C	D	Total Capacity (BTU/H)			Power Input (W)			(A)	SCOP	COP
		BTU/H	BTU/H	BTU/H	BTU/H	NOM	MIN	MAX	NOM	MIN	MAX			W/W
9K+18K	8700	15300	-	-	24000	4600	30000	1930	420	4020	8.8	10.00	3.64	
12K+12K	10000	10000	-	-	20000	4400	28000	1910	400	3700	8.7	9.50	3.07	
12K+18K	9500	14500	-	-	24000	4600	32000	1930	420	4020	8.8	10.00	3.64	
18K+18K	12000	12000	-	-	24000	4800	34000	1950	440	4020	8.9	10.00	3.61	
9K+9K+9K	8000	8000	8000	-	24000	5200	37000	1920	420	4020	8.7	11.00	3.66	
9K+9K+12K	7400	7400	9200	-	24000	5200	37000	1920	420	4020	8.7	11.00	3.66	
9K+9K+18K	6200	6200	11600	-	24000	5200	37000	1920	440	4020	8.7	11.00	3.66	
9K+12K+12K	7000	8500	8500	-	24000	5200	37000	1920	420	4020	8.7	11.00	3.66	
12+12K+12K	8000	8000	8000	-	24000	5200	37000	1920	420	4020	8.7	11.00	3.66	

36000Z-04-0	Combination of Split Indoor Units BTU(K)	Cooling Capacity												
		A	B	C	D	Total Capacity (BTU/H)			Power Input (W)			(A)	SEER2	EER
		BTU/H	BTU/H	BTU/H	BTU/H	NOM	MIN	MAX	NOM	MIN	MAX			W/W
9K+9K+18K	7700	7700	15400	-	30800	12000	41000	2550	700	4900	11.0	20.00	3.54	
9K+9K+24K	7000	7000	18000	-	32000	12000	42000	2570	700	5000	11.3	20.00	3.65	
9K+12K+18K	7300	9700	14400	-	31400	12000	42000	2550	700	5000	11.0	20.00	3.61	
9K+12K+24K	7000	10000	15000	-	32000	12000	42000	2570	700	5000	11.1	20.00	3.65	
9K+18K+24K	6000	11000	15000	-	32000	12000	42000	2600	700	5000	11.2	20.00	3.61	
12K+12K+12K	10400	10400	10400	-	31200	12000	42000	2500	700	5000	11.0	20.00	3.66	
12K+12K+18K	9200	9200	13600	-	32000	12000	42000	2550	700	5000	11.0	20.00	3.68	
12K+12K+24K	8000	8000	16000	-	32000	12000	42000	2520	700	5000	11.0	20.00	3.72	
12K+18K+24K	8000	10000	14000	-	32000	12000	42000	2520	700	5000	11.0	20.00	3.72	
9K+9K+9K+9K	8000	8000	8000	8000	32000	12000	42000	2520	700	5000	11.0	21.00	3.72	
9K+9K+9K+12K	7400	7400	7400	9800	32000	12000	42000	2520	700	5000	11.0	21.00	3.72	
9K+9K+9K+18K	6400	6400	6400	12800	32000	12000	42000	2520	700	5000	11.0	21.00	3.72	
9K+9K+9K+24K	6000	6000	6000	14000	32000	12000	42000	2520	700	5000	11.0	21.00	3.72	
9K+9K+12K+12K	6800	6800	9200	9200	32000	12000	42000	2520	700	5000	11.0	21.00	3.72	
9K+9K+12K+18K	6000	6000	8000	12000	32000	12000	42000	2520	700	5000	11.0	21.00	3.72	
9K+9K+12K+24K	5500	5500	6000	15000	32000	12000	42000	2520	700	5000	11.0	21.00	3.72	
9K+12K+12K+12K	6500	8500	8500	8500	32000	12000	42000	2520	700	5000	11.0	21.00	3.72	
9K+12K+12K+18K	5600	7500	7500	11400	32000	12000	42000	2520	700	5000	11.0	21.00	3.72	
12K+12K+12K+12K	8000	8000	8000	8000	32000	12000	42000	2520	700	5000	11.0	21.00	3.72	
12K+12K+12K+18K	7100	7100	7100	10700	32000	12000	42000	2520	700	5000	11.0	21.00	3.72	

36000Z-04-0	Combination of Split Indoor Units BTU(K)	Heating Capacity												
		A	B	C	D	Total Capacity (BTU/H)			Power Input (W)			(A)	SCOP	COP
		BTU/H	BTU/H	BTU/H	BTU/H	NOM	MIN	MAX	NOM	MIN	MAX			W/W
9K+9K+18K	8600	8600	17300	-	34500	8000	50800	3060	600	5900	13.0	10.00	3.30	
9K+9K+24K	8000	8000	20000	-	36000	8000	52000	3060	600	6000	13.0	10.00	3.45	
9K+12K+18K	8200	10900	16200	-	35300	8000	52000	3060	600	6000	13.0	10.00	3.38	
9K+12K+24K	7000	10000	19000	-	36000	8000	52000	3060	600	6000	13.0	10.00	3.45	
9K+18K+24K	7000	13000	16000	-	36000	8000	52000	3060	600	6000	13.0	10.00	3.45	
12K+12K+12K	11700	11700	11700	-	35100	8000	52000	3030	600	6000	13.0	10.00	3.39	
12K+12K+18K	10300	10300	15400	-	36000	8000	52000	3100	600	6000	13.0	10.00	3.40	
12K+12K+24K	10000	10000	16000	-	36000	8000	52000	3100	600	6000	13.0	10.00	3.40	
12K+18K+24K	9000	12400	14600	-	36000	8000	52000	3100	600	6000	13.0	10.00	3.40	
9K+9K+9K+9K	9000	9000	9000	9000	36000	8000	52000	3060	600	6000	13.0	11.00	3.45	
9K+9K+9K+12K	8300	8300	8300	11100	36000	8000	52000	3060	600	6000	13.0	11.00	3.45	
9K+9K+9K+18K	7200	7200	7200	14400	36000	8000	52000	3060	600	6000	13.0	11.00	3.45	
9K+9K+9K+24K	6500	6500	6500	16500	36000	8000	52000	3060	600	6000	13.0	11.00	3.45	
9K+9K+12K+12K	7700	7700	10300	10300	36000	8000	52000	3060	600	6000	13.0	11.00	3.45	
9K+9K+12K+18K	6800	6800	8900	13500	36000	8000	52000	3060	600	6000	13.0	11.00	3.45	
9K+9K+12K+24K	6500	6500	7000	16000	36000	8000	52000	3060	600	6000	13.0	11.00	3.45	
9K+12K+12K+12K	7200	9600	9600	9600	36000	8000	52000	3060	600	6000	13.0	11.00	3.45	
9K+12K+12K+18K	6400	8400	8400	12800	36000	8000	52000	3060	600	6000	13.0	11.00	3.45	
12K+12K+12K+12K	9000	9000	9000	9000	36000	8000	52000	3060	600	6000	13.0	11.00	3.45	
12K+12K+12K+18K	8000	8000	8000	12000	36000	8000	52000	3060	600	6000	13.0	11.00	3.45	

Note: Please consult Dial Technical Support to ensure optimal combination.